## DEPARTMENT OF COMMUNITY SERVICES AND DEVELOPMENT

P.O. Box 1947 Sacramento, CA 95812-1947 (916) 341-4200 (916) 341-4203 (FAX) (916) 327-6318 (TDD)



## Low Income Home Energy Assistance Program (LIHEAP) Departmental Guidance

Guidance Number: 2011 LIHEAP Program Guidance No. 001

Date: November 22, 2010

Subject: 2011 LIHEAP Contract Draft

\_\_\_\_\_

The purpose of this guidance is to transmit to LIHEAP Energy Service Providers the draft 2011 LIHEAP contract provisions for review and comment.

The chart below provides a complete summary of language changes for the 2011 LIHEAP contract. To aid your review, 2010 LIHEAP contract language and location of the provision appears on the left of the chart, while modified provisions (highlighted in "blue text") appear on the right. Changes to exhibit attachments are noted at the end of the chart. Additionally, a copy of the 2010 LIHEAP contract is attached to assist with your review.

| Section        | Current Language   | New Language  |
|----------------|--|---|
| Ex. A.7.       | Even though the federal Low-Income Home Energy   | Contractor agrees to apply all of the requirements,   |
| Requirements,  | Assistance Program exempts Contractor and its  | standards, and guidelines contained in the following  |
| Standards, and | subcontractors from many federal administrative  | authorities, as they may be amended from time to      |
| Guidelines     | requirements and standards to promote State and  | time, to all of the procurement, administrative, and  |
|                | local efficiency, the federal government directs the   | other costs claimed under this Agreement, including   |
|                | State to establish fiscal control and fund accounting  | those costs under subcontracts to this Agreement,     |
|                | procedures regarding LIHEAP funds. Federal law   | notwithstanding any language contained in the         |
|                | also directs the State to ensure that the cost and   | following authorities that might otherwise exempt     |
|                | accounting standards of the Office of Management   | Contractor from their applicability. To the extent    |
|                | Budget (OMB) apply to recipients of LIHEAP funds.  | that the requirements, standards, or guidelines       |
|                | Therefore, Contractor agrees to apply all of the   | directly conflict with any State law or regulation at |
|                | requirements, standards, and guidelines contained  | Government Code §§ 16367.5 et seq. or 22 CCR          |
|                | in the following authorities, as they may be   | §§ 100800 et seq., or any specific provision of this  |
|                | amended from time to time, to all of the   | Agreement, then that law or regulation or provision   |
|                | procurement, administrative, and other costs   | shall apply instead:                                  |
|                | claimed under this Agreement, including those  |   |
|                | costs under subcontracts to this Agreement,  |   |
|                | notwithstanding any language contained in the  |   |
|                | following authorities that might otherwise exempt  |   |
|                | Contractor from their applicability. To the extent   |   |
|                | that the requirements, standards, or guidelines  |   |
|                | directly conflict with any State law or regulation at  |   |
|                | Government Code §§ 16367.5 et seq. or 22 CCR   |   |
|                | §§ 100800 et seq., or any specific provision of this Agreement, then that law or regulation or provision |   |
|                | shall apply instead:   |   |
| Ex.B.2.D.      | Upon written request by the Contractor, the  | 1) Contractor may, in accordance with                 |
| Advance        | State may issue one working capital advance  | applicable law, including Code of Federal             |
| Payments       | in an amount not to exceed twenty-five percent   | Regulations (CFR), Title 10, Chapter II,              |
| 1 ayrrionio    | (25%) of the total amount of this Agreement.   | Sections 600.122, 600.220 and 600.221,                |

| Section |    | Current Language   |    | New Language   |
|---------|----|--|----|--|
|         |    | Contractor shall submit an Advance Request (CSD 144) and Advance Repayment Schedule (CSD 144-R).   |    | receive advance payments of allowable program costs contemplated under this Agreement, <i>provided</i> Contractor shall comply with the provisions of the present  |
|         | 2) | In the event this Agreement is amended to increase the consideration of this Agreement, a subsequent advance payment plus any previous advances already allowed shall not exceed twenty-five percent (25%) of the total amount of this Agreement. Subsequent advance payments may be authorized by the State if Contractor requests such an advance payment and repayment schedule agreement on CSD 144 and CSD 144-R. The need for such additional advance payment shall be based upon a review of Contractor's cash flow status as recorded on Contractor's current monthly expenditure report(s). |    | Paragraph B and such additional guidance issued by the State as is needed to implement Paragraph B (collectively "Advance Requirements") to ensure that:  a. the time elapsing between the transfer of funds and the disbursement or expenditure of the funds by Contractor is minimized; and  b. Contractor's financial management systems are compliant with the provisions of this Agreement and the standards for fund control and accountability as established in 10 CFR |
|         | 3) | The State will initiate repayment process of advance funds in accordance with the advance repayment schedule agreement (CSD 144-R) fully executed by Contractor and CSD. The repayment schedule must include the provisions that no less than 30% of the advance be repaid no later than the third (3 <sup>rd</sup> ) monthly fiscal expenditure reporting following issuance of the advance and that no less than 100% of the advance be repaid no later than the sixth (6 <sup>th</sup> ) monthly fiscal expenditure report following issuance of the advance.                                     | 2) | 600.121.   |
|         |    | In the event any given month's scheduled repayment or portion of a month's repayment cannot be repaid due to an expense  |    | b. Whenever possible, advances shall be consolidated to cover anticipated cash needs of Contractor;  |
|         |    | reimbursement request insufficient to cover the scheduled payment, the amount that is left unpaid will be added to the following month's scheduled repayment. At such time that Contractor has achieved 30% repayment, Contractor may elect to restructure the repayment of the advance, through resubmission of CSD 144-R. Any advance repayment revision must still provide for 100% of the advance repayment by the sixth (6 <sup>th</sup> ) month following the issuance of the advance. In the event that less than 100% of the advance is not repaid by the sixth (6 <sup>th</sup> ) month     |    | c. Guidance issued by the State regarding the scheduling of advance payments and the disbursement or expenditure of the funds by Contractor, while conforming to the requirements of subparagraphs 1) and 2) of the present Paragraph B, shall also take into account the practical requirements and limitations of efficient administration and the effective implementation of this Agreement by both Contractor and the State.  |
|         |    | following the issuance of the advance as agreed, CSD will initiate full liquidation of subsequent expense reimbursements beginning in the seventh (7 <sup>th</sup> ) month following the issuance of the advance and continuing each month until the advance is paid in full.  | 3) | In order to effect the purposes and requirements of subparagraphs 1) a. and b. above, the State has established the following general provisions apply to the Advance Requirements set out in this Agreement and in such supplemental guidance as may be issued:   |
|         | 4) | Contractor shall submit CSD 144-R for all advances previously received for the 2010 LIHEAP program year. The repayment   |    |  |

2011 LIHEAP No. 001 Page 2 of 14

| optimal administrate payments, Contract submit requests for quarterly basis.  | er of funds and the openditure by effect both the dvance requests and tion of advance tor shall, as needed, r advances on a libed in guidance e, Contractor shall, if  |
|---|--|
| h In a magazina magazina  | e, Contractor shall, if  |
|   | t to the allowable is Agreement,   |
| c. Upon receipt of adv<br>Contractor shall de<br>separate interest-be<br>account in accorda<br>provisions of this A<br>Federal and State la   | eposit the funds in a<br>earing advance<br>Ince with the<br>Agreement and  |
| Advances  outlay for large purchases, a special advance may be requested at any time during the contract term. Requirements include:  a. Request must be completed via CSD 144 and CSD 144-R.  b. Limited to purchase of items in excess of \$5,000.  c. No advance will be issued until the Request for Pre-approval of Purchase/Lease (CSD 558) has been approved by CSD.  Contractor may, up of the expense in the Activity Reporting Stransfer an equivale from the interest-be account specified in above, to an appropriate account for disburs the State, Contractor may, up of the expense in the Activity Reporting Stransfer an equivale from the interest-be account specified in above, to an appropriate account for disburs the State, Contractor certified monthly reduced to the expense in the Activity Reporting Stransfer an equivale from the interest-be account specified in above, to an appropriate account for disburs the State, Contractor certified monthly reduced to the expense in the Activity Reporting Stransfer an equivale from the interest-be account specified in above, to an appropriate account for disburs the State, Contractor certified monthly reduced to the expense in the Activity Reporting Stransfer an equivale from the interest-be account specified in above, to an appropriate account for disburs the State, Contractor certified monthly reduced to the expense in the Activity Reporting Stransfer an equivale from the interest-be account specified in above, to an appropriate account for disburs the State from the interest-be account specified in above, to an appropriate account for disburs the State from the interest-be account specified in above, to an appropriate account for disburs the State from the interest-be account specified in above, to an appropriate account specified in above, to an approp | ent for which ed to reimbursement, con monthly reporting he State's Expenditure System (EARS), ent amount of funds earing advance n subsection 3)c., priate operating sement.  manner prescribed by or shall submit a eport, indicating the f grant funds he reporting month, nt of funds transferred earing advance uch expenditures g month, and the |
| expenditure reporting period following the date of the purchase of the item or items identified in the Request for Pre-approval of Purchase/Lease (CSD 558). An Advance Request (CSD 144-R) must reflect one-hundred percent (100%) been issued shall reliquidation in the month following the expenses incurred when such expenses incurred when   | during the quarter es exceed the total issued. At quarter's  |

2011 LIHEAP No. 001 Page 3 of 14

| Section  | Current Language   | New Language   |
|--|--|--|
|  |  | and provisions set out in the present  |
|  |  | Paragraph B.   |
| Ex. B.3.B. 4)<br>Assurance 16,<br>ECIP and<br>HEAP | Administrative costs for Assurance 16, ECIP, and HEAP shall not exceed the amount as set forth on the funding information page attached to the face sheet of this Agreement and is contingent upon the expenditure of cumulative allowable expenditures  | g. In the event the State determines that Contractor has used advance funds for reimbursement of expenses that are not allowable under the terms of this Agreement and/or under Federal and State law, the State may, in accordance with the applicable provisions of the CFR, compel Contractor to repay any advance monies wrongfully used and/or may make such adjustments in future advance payments as it deems appropriate in order to rectify any misuse of advance funds.  Administrative costs for Assurance 16, ECIP, and HEAP shall not exceed the amount as set forth in the allocation spreadsheet incorporated by reference and available on the CSD website at www.csd.ca.gov, and is contingent upon the |
|  | for Assurance 16, ECIP and HEAP.   | expenditure of cumulative allowable expenditures for   |
|  |  | Assurance 16, ECIP and HEAP.   |
| Ex. B.3.C.6)<br>(New) SHPO<br>Reviews              | New  | SHPO Reviews  SHPO Reviews means those expenses associated with the collection and reporting of potential weatherization properties subject to SHPO Review requirements pursuant to Exhibit F Section 6 of this Agreement.   |
| Ex.B.4.D.4)c.vi.                                   | New  | Contractor may claim reimbursement for   |
| Assessments<br>and<br>Diagnostics                  |  | renovator certification, defined as field-related costs associated with performing lead renovator certification for ensuring lead paint safety on weatherized dwellings built prior to 1978.   |
| Ex.B.4.D.4)f.v.<br>Clearance<br>Inspections        | Should a clearance inspection be required, agencies should defer the costs of the clearance inspection to the property owner and/or local housing authority. In many cases, the local housing authority has licensed inspectors and may possibly conduct a clearance inspection of a U.S. Department of Housing and Urban Development (HUD) unit free of charge. However, in those instances where the property owner and/or the local housing authority are unable to incur the costs of the clearance inspection, Contractors may seek a waiver allowing the cost of the inspection as a reimbursable activity | Should a clearance inspection be required, Contractor <b>shall</b> defer the costs of the clearance inspection to the property owner and/or local housing authority. However, in those instances where the property owner and/or the local housing authority are unable to incur the costs of the clearance inspection, Contractors may seek a waiver allowing the cost of the inspection as a reimbursable activity   |
| Ex.B.6.A. Energy Council Travel                    | The Department of Community Services and Development agrees to reimburse designated members of the Energy Council (EC), or their alternate if recognized by the Director of CSD and employed by the same Contractor, for travel expenses incurred in connection with monthly EC meetings with CSD. EC members represent their respective agencies or associations of California energy service providers who weatherize the  | CSD agrees to reimburse designated members of the Energy Council (EC), or their alternate if recognized by the Director of CSD and employed by the same Contractor, for travel expenses incurred in connection with monthly EC meetings with CSD.  |

2011 LIHEAP No. 001 Page 4 of 14

| Section               | Current Language   | New Language   |
|-----------------------|--|--|
|                       | homes of California's low-income households and  |  |
|                       | assist them with payment of their utility bills. EC  |  |
|                       | members share ideas with CSD on the effective  |  |
|                       | delivery of LIHEAP for low-income persons.   |  |
| Ex.B.6.B.             | The approved travel expenses invoiced for the EC   | The approved travel expenses invoiced for the EC   |
| Energy                | meetings will be reimbursed by the Department of   | meetings will be reimbursed by CSD as part of  |
| Council Travel        | Community Services and Development as part of  | CSD's State Operations Budget. The maximum   |
|                       | CSD's State Operations Budget. The maximum   | reimbursement shall not exceed the total amount of   |
|                       | reimbursement shall not exceed the total   | the allotment made to each participating agency.   |
|                       | agreement amount of the allotment made to each   |  |
|                       | participating agency.  |  |
| Ex.B.6.D.             | CSD will reimburse EC members for travel   | CSD shall reimburse EC members for necessary   |
| Energy                | expenses only for attendance at meetings   | travel expenses only for attendance at meetings  |
| Council Travel        | sponsored by CSD. EC members will be   | sponsored by CSD. EC members will be   |
|                       | reimbursed for necessary travel expenses at rates  | reimbursed for necessary travel expenses at rates  |
|                       | not to exceed those applicable to nonrepresented   | not to exceed those applicable to nonrepresented   |
|                       | State employees under current prevailing State   | State employees under current prevailing State   |
|                       | Department of Personnel Administration Rules and   | Department of Personnel Administration Rules and   |
|                       | Regulations, Section 599.619, dated July 1, 1997,  | Regulations found in California Code of  |
|                       | and as amended from time to time. Receipts will  | Regulations, Title 2, Section 599.619. (2 CCR  |
|                       | be required for reimbursement.   | §599.619). EC members seeking reimbursement  |
|                       |  | authorized under this section must submit  |
|                       |  | receipts for travel expenses with the Travel Expense Claim (STD. 262).   |
| Ex.B.6.E.             | CSD shall reimburse EC members only for  | For purposes of this section, "necessary travel  |
| Energy                | necessary travel expenses, including vehicle   | expenses" includes vehicle mileage or vehicle  |
| Council Travel        | mileage, vehicle rental, or air fare; tolls; parking;  | rental; air fare; tolls; parking; and lodging.   |
|                       | and lodging.   | and the second s |
| Ex. D.9.F.            | In the event that CSD determines that Contractor is  | In the event that CSD determines that Contractor is  |
| Compliance            | in noncompliance of material or other legal  | not in compliance with material or other legal   |
| Monitoring            | requirements of this Agreement, CSD shall provide  | requirements of this Agreement, CSD shall provide  |
|                       | the observations, recommendations, or findings in  | the observations, recommendations, or findings,  |
|                       | writing, along with a specific action plan for   | and request for corrective action plan to  |
|                       | correcting the noncompliance.  | Contractor in writing. Contractor shall submit to  |
|                       |  | CSD a specific action plan for correcting the  |
|                       |  | noncompliance.   |
| Ex.D.10.B.2)d.        | Give a specified period of time in which to take   | Specify the date by which the corrective action  |
| Suspension            | corrective action; and   | is expected; and   |
| Ex.D.10.C.1)          | CSD will implement Special Conditions on a   | Based on the severity and frequency of the   |
| Special<br>Conditions | progressive basis, which may include:  | identified circumstances, CSD may impose any   |
| Coriditions           |  | one or more Special Conditions, on a progressive   |
| Ev D 10 C 0\          | Donad on the coverity and fragues as of the  | basis, which may include:  |
| Ex.D.10.C.2)          | Based on the severity and frequency of the   | Should Special Conditions be warranted, CSD shall  |
| Special               | identified circumstances, CSD may impose any one or more Special Conditions. Should Special    | send the Contractor a written Notice of Special  |
| Conditions            | Conditions be warranted, CSD shall send the  | Conditions, which shall contain the following information:   |
|                       | Conditions be warranted, CSD shall send the Contractor a written Notice of Special Conditions, | inionnation  |
|                       | which shall contain the following information:   |  |
| Ex.D.12.B.1)          | Minor Modifications shall not affect the Maximum   | Contractor may request modifications to make   |
| Minor                 | Amount payable under this Agreement.   | minor adjustments during the contract term.  |
| Modifications         | , and an payable and or and rigide month   | Minor Modifications shall not affect the Maximum   |
|                       |  | Amount payable under this Agreement.   |
| Ex.D.13.A.            | Adequate fiscal performance will be the  | Adequate fiscal performance will be the expenditure  |
| Special               | expenditure of one hundred percent (100%) of the   | of one hundred percent (100%) of the total   |
| Provisions-           | total consideration and non-consideration  | consideration and non-consideration allocations by   |
| Performance-          | allocations by June 30, 2011. Achievement of the   | March 31, 2012. Achievement of the following   |
| Based                 | following expenditure percentages shall occur as   | expenditure goals shall occur as follows:  |
|                       | 3 - 1  | 1  |

2011 LIHEAP No. 001 Page 5 of 14

| Section                   | Current Language  | New Language   |
|---------------------------|---|--|
| Requirements              | follows.  |  |
|                           |   | 50% by <b>July 30</b> , <b>2011</b>  |
|                           | 50% by December 31, 2010  | 75% by <b>November 30</b> , 2011   |
|                           | 75% by March 31, 2011   | 100% by <b>March 31, 2012</b> .  |
| Ex.D.13.C                 | 100% by June 30, 2011.  At the conclusion of the 50% performance                                      | If at the conclusion of the 50% performance  |
| LX.D. 13.C                | benchmark. CSD shall review Contractor's  | benchmark Contractor has not met expenditure   |
|                           | achievement of goals, and if they are not being   | achievement goals, CSD shall notify Contractor that  |
|                           | achieved, CSD shall notify Contractor that contract   | contract goals are not being met, and Contractor   |
|                           | goals are not being met and Contractor shall be   | shall provide to CSD an immediate resolution.  |
|                           | required to provide an immediate resolution.  | ·  |
| Ex.D.13.D.                | If the Contractor has previously been contacted   | If the Contractor has previously been contacted  |
|                           | regarding noncompliance and is found to have  | regarding noncompliance and is found to have   |
|                           | another monthly period of noncompliance, the  | another monthly period of noncompliance, then CSD  |
|                           | Contractor shall be notified in writing that contract   | shall notify the Contractor in writing that contract   |
|                           | goals are not being met and that the Contractor has established a pattern of nonachievement of goals. | goals are not being met and that the Contractor has established a pattern of failing to meet         |
|                           | Contractor shall have to meet all goals inclusive to  | expenditure goals. Contractor shall meet all goals   |
|                           | the next one-month period.  | inclusive to the next one-month period.  |
| Ex.D.13.E                 | If, at the conclusion of the March 31, 2011 reporting   | If, at the conclusion of the <b>November 30</b> , 2011   |
|                           | period, the Contractor has not achieved 75% of the  | reporting period, the Contractor has not achieved  |
|                           | contract goals or has failed to meet contract goals   | 75% of the contract goals or has failed to meet  |
|                           | after written notification disclosing noncompliance,  | contract goals after written notification disclosing   |
|                           | the State shall enter negotiations with the   | noncompliance, the State shall enter negotiations  |
|                           | Contractor to access a realistic capacity to expend the remaining funds and a determination may be    | with the Contractor to access a realistic capacity to expend the remaining funds and a determination |
|                           | made as to the viable amount of funds that will   | may be made as to the viable amount of funds that  |
|                           | remain in the contract  | will remain in the contract  |
| Ex.D.13.F.                | The term of this agreement will be no longer than   | The term of this agreement will be no longer than  |
|                           | eighteen (18) months.   | fifteen (15) months. Contractor's request for an   |
|                           |   | extension based on inability to expend funds   |
|                           |   | will not be granted. However, the Director, at his   |
|                           |   | or her sole discretion, may extend the contract  |
|                           |   | term based on extenuating circumstances that occurred beyond the control of the Contractor.          |
|                           |   | Contractor shall request the time extension in   |
|                           |   | writing at least 30 days prior to the expiration of  |
|                           |   | the contract.  |
| Ex.D.14.E.1)              | CSD will monitor Contractor's adherence to all  | CSD will monitor Contractor's adherence to all   |
| Monitoring                | Davis-Bacon provisions. Noncompliance with  | Davis-Bacon provisions. Noncompliance with   |
| and Reporting             | Davis-Bacon will subject Contractor to the process  | Davis-Bacon will subject Contractor to the process   |
| of Davis-                 | outlined in ARRA EXHIBIT A.1.E – A.1.F.   | outlined in Exhibit D, Section 10,   |
| Bacon                     |   | "NONCOMPLIANCE WITH REQURIEMENTS OF  |
| Provisions<br>Ex.E.3.A.5) | To ensure that significant procurement transactions   | THIS AGREEMENT."  To ensure that significant procurement transactions                                |
| Procurement               | are conducted in an open and freely competitive   | are conducted in an open and freely competitive  |
|                           | manner, Contractor shall comply with one of the   | manner, Contractor shall: prepare and submit a   |
|                           | following requirements at Contractor's election:  | Request for Purchase/Lease Pre-Approval  |
|                           | _   | (CSD 558) to CSD at least fifteen (15) calendar  |
|                           | a. Contractor shall submit for CSD's review   | days prior to executing the subcontract for each   |
|                           | and approval the written procurement  | of the following procurement transactions:   |
|                           | procedures developed pursuant to  | a. Any articles, supplies, equipment, or   |
|                           | Section 3. A.1) above. Upon receipt of the procedures, CSD will review them for                       | services having a per-unit cost in excess of \$5,000; or   |
|                           | substantial conformity with the OMB   | φυ,υυυ, σι   |
|                           | procurement guidelines and the three-bid  | <b>b</b> . Any articles, supplies, or equipment where  |
|                           | requirement in Section 3. A. 4) above.  | the total contract amount exceeds  |
|                           | requirement in Section 3. A. 4) above.  | the total contract amount exceeds  |

2011 LIHEAP No. 001 Page 6 of 14

| Section                                  |        | Current Language  |    | New Language   |
|--|--------|---|----|--|
|  | b.     | Within thirty (30) days of receipt, CSD will provide either written approval of the procedures or specific recommendations for amendment of the procedures. Approval shall not be withheld unreasonably; or  Absent CSD's written approval of the procurement procedures, Contractor shall prepare and submit a Request for Purchase/Lease Pre-Approval (CSD 558) to CSD at least fifteen (15) calendar days prior to executing the subcontract for each of the following procurement transactions:  i. Any articles, supplies, equipment, or services having a per-unit cost in excess of \$5,000; or  ii. Any articles, supplies, or equipment where the total contract amount exceeds \$100,000. |    | \$100,000.   |
| Ex. E. 11.<br>Complaint                  | New    |   |    | MPLAINT MANAGEMENT POLICIES AND OCEDURES   |
| Management<br>Policies and<br>Procedures |        |   | А. | Contractor shall establish and maintain policies and procedures for handling complaints and provide applicants an opportunity to register a complaint based on their experience with attempts to obtain services under LIHEAP. The policies and procedures shall be in writing and Contractor shall provide the complaint process to interested individuals upon request.  Contractor shall ensure that all formal                   |
|  |        |   | 5. | complaints are documented, and include the date, time client name and address, and nature of the complaint, and the actions undertaken by the Contractor to resolve the issue. For purposes of this section, "formal complaint" means a written complaint filed with the Contractor by the complainant.  |
|  |        |   | C. | If the Contractor's efforts did not result in a resolution, the Contractor may refer the client to the CSD Field Representative assigned to the Contractor. The Contractor shall contact the CSD Field Representative directly and explain the issue, actions taken to resolve the issue, and provide to the CSD Field Representative any supporting documentation that demonstrates the Contractor's attempts to resolve the issue. |
|  | ΗΕΔΡ Ν |   | D. | If the Contractor believes that the  |

2011 LIHEAP No. 001 Page 7 of 14

| Section                                   | Current Language  | New Language  |
|---|---|---|
|   |   | complainant will contact the media, State or Federal oversight agency or Governor's Office regarding the complaint, Contractor shall immediately contact CSD management.  |
| Ex. F.6.D. 2)                             | New   | Contractor shall determine whether the dwelling meets the criteria for a SHPO Review pursuant   |
| Ex. F.6.D. 5) b. SHPO Review of Dwellings | New   | b. State Historic Preservation Office (SHPO) Historical Review of Dwellings  i. To ensure compliance with Section 106 of the National Historic Preservation Act (16 U.S.C. 470), CSD will establish appropriate procedures for historic property review standards as outlined by a Programmatic Agreement with the State Historic Preservation Office (SHPO). The established review standards will be utilized for weatherization activities conducted under the LIHEAP on dwellings that are 45 years or older. For purposes of this Agreement, the historic review shall be known as the SHPO Review.  ii. The Contractor shall ensure that a SHPO review is completed on a dwelling that is either: (1) 45 years or older, (2) located within a historic district, or (3) considered to be of exceptional importance under the National Register Criteria for Evaluation pursuant to 36 CFR 60.4.  iii. When a dwelling assessment is performed and the dwelling is determined to meet any of the criteria specified in Subdivision ii., Contractor shall initiate the SHPO Review process as specified in CSD SHPO Policy incorporated by reference to this Agreement, and available on the CSD website at www.csd.ca.gov. |
| Ex.F.7.D.3)a. Dwelling Assessments        | Assessment of the dwelling shall meet all requirements as described in Weatherization Activity Guidelines, EXHIBIT F.6.D., excluding Sections 6), 7), 8), 9) and 10). | Assessment of the dwelling shall meet all requirements as described in <b>Weatherization Activity Guidelines, EXHIBIT F.6.D</b> .   |

2011 LIHEAP No. 001 Page 8 of 14

| Section                                   | Current Language  | New Language   |
|---|---|--|
| Section Ex. F.11.A. Training Requirements | Current Language  All training, as indicated by employee classification in ATTACHMENT I shall be provided through a CSD-approved training center utilizing CSD-approved training curriculum. In-house training shall no longer be an acceptable form of training to meet any CSD training requirements for weatherization services with the exception of HUD-approved Lead-Safe Weatherization Training or unless otherwise noted. Training coursework must be successfully completed.  | New Language  All training, as indicated by employee classification in ATTACHMENT IV shall be provided through a CSD-approved training mechanism utilizing CSD-approved training curricula. In-house training shall no longer be an acceptable form of training to meet any CSD training requirements for weatherization services with the exception of EPA or HUD-approved Lead-Safe Weatherization Training or unless otherwise noted. Training coursework must be successfully completed according to the terms of each course. Certificates of completion shall  |
| Ex.F.11. B.<br>Training<br>Requirements   | Training Provisions for New Staff of Contractor and Subcontractors with Prior CSD Experience Who Provide Basic Weatherization Services:  1) For the purposes of this section, subcontractors must have prior experience providing basic weatherization pursuant to a CSD program.  2) Subcontractors who do not have prior basic weatherization experience pursuant to a CSD program must follow the training provisions in EXHIBIT F, Section 1.D.  3) Within 30 days of employment, weatherization employees of Contractor and subcontractors                   | be issued by the CSD-approved training entity upon successful completion of each course, unless where noted below.  Training Provisions for New Staff of Contractor and Subcontractors with Prior Experience Providing Weatherization Services under a CSD Program:  1) For the purposes of this section, subcontractors must have prior experience providing basic weatherization services pursuant to a CSD program. Subcontractors who do not have prior basic weatherization experience pursuant to a CSD program must follow the training provisions in EXHIBIT F, SECTION 11.D.  2) Within 30 days of employment, weatherization employees of Contractor and subcontractors shall receive Worksite Safety, Environmental |
|   | shall receive Worksite Safety, Environmental Hazards Awareness and Lead-Safe Weatherization Training. An Assessor, Worker, Supervisor, or Inspector shall not be allowed to enter, assess, weatherize, or inspect a dwelling unit until the required Worksite Safety, Environmental Hazards Awareness and Lead-Safe Weatherization Training has been completed.  4) Within ninety (90) days of employment, all weatherization employees of Contractor and subcontractors shall receive Basic Weatherization Training.   | Hazards Awareness and Lead-Safe Weatherization Training. An Assessor, Energy Auditor, Worker, Supervisor, or Inspector shall not be allowed to enter, assess, conduct an audit on, weatherize, or inspect a dwelling unit until the required Worksite Safety, Environmental Hazards Awareness and Lead- Safe Weatherization Training has been completed.  3) Within 90 days of employment, all weatherization employees of Contractor and subcontractors shall receive Basic Weatherization Training.  |
|   | <ul> <li>Within 180 days of employment, weatherization employees of Contractor and subcontractors shall receive Duct Leakage/Blower Door Diagnostic Training. No employee of Contractor and subcontractor shall perform diagnostic testing without having completed the required training.</li> <li>Within 180 days of employment, weatherization employees of Contractor and subcontractors shall receive Combustion Appliance Safety Training. No employee of Contractor and subcontractors shall perform combustion appliance safety checks without</li> </ul> | <ul> <li>Within 180 days of employment, weatherization employees of Contractor and subcontractors shall receive Duct Leakage/Blower Door Diagnostic Training. No employee of Contractor and subcontractor shall perform diagnostic testing without having completed the required training.</li> <li>a. Subsequent to successful completion of the Duct Leakage/Blower Door Diagnostic Training, Contractor and subcontractor employees are required to participate in a monitored field practice under the supervision of a</li> </ul>   |

2011 LIHEAP No. 001 Page 9 of 14

| Section   | Current Language  | New Language  |
|-----------|---|---|
| 7         | having completed the required CSD-approved training.  7) Within 180 days of employment, weatherization employees of Contractor and  | third-party inspector and/or training provider to further evaluate employee knowledge and skill in this area of diagnostic testing.   |
|           | subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training. No employee of Contractor and subcontractors shall perform assessments without having completed the required training. | b. Contractor and subcontract employees failing to demonstrate appropriate knowledge and skills in this competency will be required to complete additional training to enhance deficient skill and knowledge and prohibited from performing this  |
| 8         | weatherization employees of Contractor and subcontractors who perform inspections   | activity until the completion of required training.   |
|           | and/or field supervision shall receive Quality Assurance/Inspector Training. No employee of Contractor and subcontractor shall perform inspections without having completed the required training.                              | Within 180 days of employment, weatherization<br>employees of Contractor and subcontractors<br>shall receive Combustion Appliance Safety<br>Training. No employee of Contractor and<br>subcontractors shall perform combustion<br>appliance safety checks without having<br>completed the required CSD-approved training.   |
|           |   | a. Subsequent to successful completion of Combustion Appliance Safety Training, Contractor and subcontractor employees are required to participate in a monitored field practice under the supervision of a third-party inspector and/or training provider to further evaluate employee skill and knowledge in performing Combustion Appliance Testing.   |
|           |   | b. Contractor and subcontractor employees failing to demonstrate appropriate knowledge and skills in this competency will be required to complete additional training to enhance deficient skill and knowledge and prohibited from performing this activity until the completion of required training.  |
|           |   | 6) Within 180 days of employment, weatherization employees of Contractor and subcontractors who perform Assessments and/or Field Supervision shall receive Field Assessment Training. No employee of Contractor and subcontractors shall perform assessments without having completed the required training. Certificates of Completion shall be issued following completion of the second phase ("field portion") of the training. |
| 2011 LIHF | EAP No. 001   | 7) Within 180 days of employment, weatherization<br>employees of Contractor and subcontractors<br>who perform Quality Assurance Inspections Page 10 of 14   |

| Section                               | Current Language  | New Language   |
|---------------------------------------|---|--|
|                                       |   | and/or Field Supervision shall receive Quality Assurance/Inspector Training. No employee of Contractor and subcontractor shall perform inspections without having completed the required training.   |
| Ex.F.11.C<br>Training<br>Requirements | Training Provisions for Existing Staff of Contractor and Subcontractors With Prior CSD Experience Who Provide Weatherization Services  1) For the purposes of this section, subcontractors must have prior experience providing weatherization pursuant to a CSD program. Subcontractors who do not have prior weatherization experience pursuant to a CSD program must follow the training provisions in EXHIBIT F, Section 1.D.   | Training Provisions for Existing Staff of Contractor and Subcontractors with Prior Experience Providing Weatherization Services under a CSD Program:  For the purposes of this section, subcontractors must have prior experience providing weatherization services pursuant to a CSD program. Subcontractors who do not have prior weatherization services experience pursuant to a CSD program must follow the training provisions in EXHIBIT F, Section 11.D.   |
|                                       | <ol> <li>Existing weatherization employees of Contractor and subcontractors shall receive the Worksite Safety, Environmental Hazards Awareness, and Lead-Safe Weatherization Training.</li> <li>Within 90 days of the execution of this Agreement, existing weatherization employees of Contractor and subcontractors that have completed the following classes at a CSD-approved training center prior to the dates listed below or for whom no training dates at a CSD-approved training center are recorded but have field experience of at least 12 months performing weatherization services and diagnostic testing for CSD weatherization programs shall be required to take and pass an online assessment test or receive the required CSD-approved trainings. Employees not completing the required diagnostic testing training or successfully test out of the training shall no longer be able to perform the diagnostic tests.</li> <li>Basic Weatherization – November 2003 b. Duct Blaster – April 2006 c. Blower Door – April 2006</li> </ol> | <ol> <li>Existing weatherization employees of Contractor and subcontractors shall receive the Worksite Safety, Environmental Hazards Awareness, and Lead-Safe Weatherization Training.</li> <li>Within 90 days of the execution of this Agreement, existing weatherization employees of Contractor and subcontractors that have completed the following classes at a CSD-approved training center prior to the dates listed below. Employees for whom no training dates at a CSD-approved training center are recorded (but have field experience of at least 12 months performing weatherization services and diagnostic testing for CSD weatherization programs) shall be required to take and pass an online "test out" or receive the required CSD-approved trainings. Employees not completing the required diagnostic testing training or successfully "testing out" of the training shall no longer be able to perform the diagnostic tests.</li> <li>Basic Weatherization – November 2003</li> <li>Duct Blaster – April 2006</li> <li>Blower Door – April 2006</li> <li>Within 120 days of the execution of this Agreement, existing weatherization employees</li> </ol> |
|                                       | 4) Within 120 days of the execution of this Agreement, existing weatherization employees of Contractor and subcontractors who perform the combustion appliance safety test and that have completed Combustion Appliance Safety Training through a CSD-approved training center prior to April 2006 or who have no training dates recorded shall receive Combustion Appliance Safety Training.  a. Employees who received Combustion Appliance Safety Training prior to April 2006 through a CSD-approved training   | of Contractor and subcontractors who perform the combustion appliance safety test and that have (1) completed Combustion Appliance Safety Training through a CSD-approved training center prior to April 2006, or (2) who have no training dates recorded shall receive Combustion Appliance Safety Training.  a. Employees who received Combustion Appliance Safety Training prior to April 2006 through a CSD-approved training center may continue to perform the diagnostic  |

2011 LIHEAP No. 001 Page 11 of 14

| center can continue to perform the diagnostic testing, however, Contractor shall provide documentation verifying the past completion of the required training. Employees shall receive the training in order to continue performing the combustion appliance safety test after the required 120-day time period has lapsed or pass an online CAS test when it becomes available. Employees not completed the required CAS training or successfully test out of the training in station diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training center shall not perform the combustion appliance safety set until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance Inspect or Training.  EX.F.11.E. Training Provisions for Staff of Subcontractors Who Provides Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractor does not receive the training it sh | Section      | Current Language                                    | New Language  |
|--|--------------|---|---|
| shall provide documentation verifying the past completion of the required training. Employees shall receive the training in order to continue performing the combustion appliance safety test after the required 120-day time period has lapsed or pass an online CAS test when it becomes available. Employees not completed the required CAS training or successfully test out of the training shall no longer be able to perform diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  EXF.11.D Training Requirements  EXF.11.E Training Provisions for Staff of Subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform delignostic tests.  b. Employees and completed the required CSD-approved training center shall not perform the combustion appliance safety test until the required CSD-approved training. The performed by subcontractors who perform assessments and/or field supervision shall receive Quality Assurance/Inspector Training.  EXF.11.D Training Provisions for Staff of Subcontractors Who Provide Specialty Services pursuant to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F.  ATTACHMENT III prior to commencing unit production work.  EXF.11.F. Training Provisions for Staff of Subcontractors who perform the of H |              |   |   |
| past completion of the required training. Employees shall receive the training in order to continue performing the combustion appliance safety test after the required 120-day time period has lapsed or pass an online CAS test when it becomes available. Employees not completed the required CAS training or successfully test out of the training shall no longer be able to perform diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  Ex.F.11.D Training Rooyal to commencing unit production work.  Ex.F.11.E Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, If the subcontractor does not receive the training in or cere to entire the required CSD-approved training or successfully test after the required CSD-approved training or successfully test after the required CSD adported thas lapsed or pass an online CAS test. Employees not complete CSD straining or successfully test after the required CSD approved training is shall not perform the training shall no longer be able to perform diagnostic tests.  b. Employees who have never received the Combustion appliance safety diagnostic tests.  b. Employees who have never received the combustion appliance safety diagnostic tests.  b. Employees who have never received the combustion appliance safety diagnostic test |              |   | , , , , ,   |
| Employees shall receive the training in order to continue performing the combustion appliance safety test after the required 120-day time period has lapsed or pass an online CAS test when it becomes available. Employees not completed the required CAS training or successfully test out of the training shall no longer be able to perform diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training centre shall not perform the combustion appliance safety training centre shall not perform the combustion appliance safety training centre shall not perform the combustion appliance safety training centre shall not perform the combustion appliance safety training centre shall not perform the combustion appliance safety training centre shall not perform the combustion appliance safety training centre shall not perform the combustion appliance safety that the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Quality Assurance Inspection Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance Inspection and Edied supervision shall receive Quality Assurance Training.  Ex.F.11.D Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required Cost page or pass an online CAS test. Employees and to implement a perior of the combustion appliance safety test until the required Cost and subcontractors who perform day subcontractors who perform day of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform day subcontractors who perform day of the execution of this Agreement, |              |   |   |
| order to continue performing the combustion appliance safety test after the required 120-day time period has lapsed or pass an online CAS test when it becomes available. Employees not completed the required CAS training or successfully test out of the training shall no longer be able to perform diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Quality AssuranceInspector Training.  Ex.F.11.D Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Ex.F.11.E Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Ex.F.11.F. Tor weatherization and ECIP EHCS services  Ex.F.11.F. For weatherization and ECIP EHCS services  read of the required CSD-approved training. If the subcontractors and post-combustion appliance safety diagnostic tests.  b. Employees an otionmel CAS test. Employees of complete the required cash and in training and online training and value of the training and online training and into training and the Combustion appliance safety diagnostic tests.  b. Employees who have never received the training and the combustion appliance safety test until the required constraining center shall not perform the combustion appliance safety diagnostic tests.  b. Employees who have never received the training and training and the Combustion appliance safety test until the required constraining center than training and training and training and training center than training and training and training and training and  |              |   |   |
| combustion appliance safety test after the required 120-day time period has lapsed or pass an online CAS test when it becomes available. Employees not completed the required CAS training or successfully test out of the training shall no longer be able to perform diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  b) Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  c) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance-Inspector Training.  EXF.11.D Training Requirements  EXF.11.E Training Provisions for Staff of Subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required Cost approved training. If the subcontractor who perform the Contractor to perform all pre- and post-combustion appliance safety test until the required training. If the subcontractors who perform the Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractor who perform the Contractor to perform all pre- and post-combustion appliance safety diagnostic tests.  Employees who have never received the Combustion Appliance safety to the Contractor and subcontractors who perform the combustion appliance safety to subcontractors who perform the combustion appliance safety to subcontractors who perform the contractor and subcontractors who perform the contractor and subcontractors who perfor |              |   | ,               |
| required 120-day time period has lapsed or pass an online CAS test when it becomes available. Employees not completed the required CAS training or successfully stat out of the training shall no longer be able to perform diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training is received.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform conspections and/or field supervision shall receive Pield Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Quality Assurance/Inspections and/or field Supervision shall receive Quality Assurance Inspections on Accombact of the Supervision shall receive Quality Assurance Inspections on Accombact of the Supervision shall receive Quality Assurance Inspections on Accombact of the Supervision s |              |   |   |
| pass an online CAS test when it becomes available. Employees not completed the required CAS training or successfully test out of the training shall no longer be able to perform diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Guality Assurance Inspections and/or Field Supervision shall receive Guality Assurance |              |   | · · ·   |
| available. Employees not completed the required CAS training of successfully test out of the training shall no longer be able to perform diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training enter shall not perform the combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Quality Assurance/Inspector Training.  Ex.F.11.D Training Requirements  Ex.F.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are subcontractors who perform the Contractor to perform all pre- and post-combustion appliance safety diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training through a CSD-approved training through a CSD approved training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  Ex.F.11.E Training In Provide to receive the required CSD-approved training. If the subcontractors who perform the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. For weatherization and ECIP EHCS services  For weatherization services performed on HUD units, all work crews of Contractor and subcontractors and combination and ECIP EHCS services performed by subcontract |              |   |   |
| required CAS training or successfully test out of the training shall no longer be able to perform diagnostic tests.  b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training enter shall not perform the combustion appliance safety training through a CSD-approved training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Quality Assurance/Inspector Training.  EXF.11.D Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  EXF.11.D Training Requirements required to have all staff complete the entire required to have all staff complete the entire required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  Ex.F.11.E Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed on HUD units, all work crews of   |              |   |   |
| b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Assessment Training.  Ex.F.11.D Training Provision freld supervision shall receive Quality Assurance Inspections and/or field supervision shall receive Quality Assurance Inspections and/or field supervision shall receive Quality Assurance Inspections and/or field supervision shall receive Quality Assurance Training.  Ex.F.11.D Training Provision for Guality Assurance Inspections and/or field supervision shall receive Quality Assurance Inspections and/or field supervision shall receive Quality Assurance Inspections and/or field supervision shall receive Quality Assurance Training.  Ex.F.11.D Training Provision to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHIMENT III prior to commencing unit production work.  Ex.F.11.E Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed on HUD uni |              |   |   |
| b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training through a CSD-approved training through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  EXF.11.D Training Requirements are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  EXF.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractors who perform the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed on HUD units, all work crews of units, and/or Field Supervision shall received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Training.  EXF.11.D Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion app |              |   | 3               |
| b. Employees who have never received the Combustion Appliance Safety Training through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Qualit |              |   | b. Employees who have never received                  |
| Combustion Appliance Safety Training through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  EXF.11.D Training Requirements  EXF.11.D Training Provisions for Staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  EX.F.11.E Training Provisions for Staff of Subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. Training Provisions active and subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. For weatherization and ECIP EHCS services  For weatherization repoliced basic was a final pread to the provided basic weatherization services performed on HUD units, all work crews of Contractor and subcontractor and subcontractor and subcontractors who perform the combustion appliance safety di |              |   |   |
| through a CSD-approved training center shall not perform the combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance Training.  Ex.F.11.D Training Requirements  Ex.F.11.E Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to performal pre- and post-combustion appliance safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Training.  Ex.F.11.D Training Provisions services pursuant to a CSD program are required to all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III, yrior to commencing unit production work.  Training Provisions for Staff |              |   |   |
| shall not perform the combustion appliance safety test until the required training is received.  Shall not perform the combustion appliance safety test until the required training is received.  Shall not perform the combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Shall not perform the combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Shall not perform the combustion of this receive Stall the required training is received.  Stall not perform the combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Shall not perform the combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Swithin 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform Assessments. Energy Audits, and/or Field Supervision shall receive Assessment Training.  Swithin 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Training.  Switch 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Assessment Training.  Switch 120 days of the execution of this Agreement, weatherization employees of Contractor who perform Quality Assurance Inspections and/or Field Supervision shall receive Assessment Training.  Switch 120 days of the execution of this Agreement, weatherization employees of Contractor who perform the assessments, Energy Audits, and/or Field Supervision shall receive Assessment Training.  Switch 120 days of the execution o |              |   |   |
| safety test until the required training is received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance/Inspector Training Requirements was the rization services pursuant to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  EXF.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor and subcontractors who perform the of HVAC work for a Contractor and subcontractors who perform the of HVAC work for a Contractor and subcontractors who perform assessment Training.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessment, Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform and prevision shall receive Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform and prevision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Training.  EXF.11.D Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a  |              |   |   |
| received.  5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  EXF.11.D Training Requirements  EXF.11.E Training Provisions for Staff of Subcontractors Who Provide Specialty Services  EXF.11.E Training Requirements  Requirements  Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Training.  EXF.11.E Training Requirements  Fraining Requirements  Requirements  Requirements  Agreement, weatherization employees of Contractor who perform duployees of Contractor who perform are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  EXF.11.E Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. It shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EXF.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of Contractor and subcontractor and subcontractor and subcontractor and subcontractor and subcontractor and subcontractor and subcontractors who perform as pure required to have all staff complete the entire required course of training, required to have all staff complete the entire required to have all staff complete the e |              |   | the required training is received.                    |
| Supervision shall receive Assessment Training.  EX.F.11.D Training Requirements  EX.F.11.E Training Requirements  Author Mark Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor to desired from all preactive the training, it shall be the responsibility of the Contractor to performed provinced performed performed performed performed performed to services performed by subcontractors who perform the formal pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Agreement, weatherization employees of Contractor and subcontractors who perform danger than the production work.  Agreement, weatherization employees of Contractor and subcontractors who perform danger training.  Subcontractors who perform danger training.  Subcontractors who have never provided basic weatherization services pursuant to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  EX.F.11.E Training Provisions for Staff of Subcontractors Who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. For weatherization and ECIP EHCS services  For weatherization employees of Contractor and Subcontractors who perform the veatherization employees of Contractor and Subcontractors who perform the Musch and staff complete the entire required consensus the production work.  Training Provisions for Staff of Subcontractors Who perform the HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services perf |              | , ,   | 5) Within 400 days of the assessition of this         |
| 5) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  EX.F.11.D Training Requirements  EX.F.11.E Training Provisions for Staff of Subcontractors Who perform the of HVAC work for a Contractor and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. Training Profermed on HUD units, all work crews of Contractor and subcontractors who perform Assessments, Energy Audits, and/or Field Supervision shall receive Assessment Training.  Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Assessments Energy Audits, and/or Field Supervision shall receive Assessments Training.  Subcontractors who have never provided basic weatherization services pursuant to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit productio |              | receivea.   |   |
| Agreement, weatherization employees of Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  EX.F.11.D Training Requirements Requirements Requirements  EX.F.11.E Training Requirements  AFSSESSMENTS, Energy Audits, and/or Field Supervision shall receive Assessment Training.  Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Training.  EX.F.11.D Training Requirements are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  EX.F.11.E Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. For weatherization and ECIP EHCS services  Training Provision shall receive Assessment Training.  Within 120 days of the execution of this Agreement, weatherization employees of Contractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Assessment Training.  Within 120 days of the execution of this Agreement, weatherization employees of Contractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive |              | 5) Within 120 days of the execution of this         |   |
| Contractor and subcontractors who perform assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  EX.F.11.D Training Requirements  EX.F.11.E Training Requirements  EX.F.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. Training Provation and ECIP EHCS services  For weatherization shall receive Assessment Training.  Supervision shall receive Assessment Training.  Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance  Training.  Subcontractors who have never provided basic weatherization services pursuant to a CSD program are required to have all staff complete the entire required course of fraining, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EXF.11.F. For weatherization and ECIP EHCS services  For weatherization services performed on HUD units, all work crews of on tractor of the con |              |   |   |
| assessments and/or field supervision shall receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Training.  Ex.F.11.D Training Requirements  Ex.F.11.E Training Requirements  EX.F.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. Training Proformed on HUD units, all work crews of  |              |   |   |
| receive Field Assessment Training.  6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  EXF.11.D Training Requirements  Requirements  EXF.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed on HUD units, all work crews of  All within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Irraining.  Subcontractors who have never provided basic weatherization services pursuant to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  EXF.11.E Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EXF.11.F. For weatherization employees of Contractor of training.  6) Within 120 days of the execution of this Contractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Training.  Subcontractors who have never provided basic weatherization services performed to a CSD program are required to have all staff complete the entire required course of training, relative to their job  |              |   | Supervision on an receive / lecessiment riaming       |
| 6) Within 120 days of the execution of this Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  EX.F.11.D Training Requirements  EX.F.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed on HUD units, all work crews of  Agreement, weatherization employees of Contractor and subcontractors who perform Quality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Training.  Subcontractors who have never provided basic weatherization services pursuant to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the dourse of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encourage to receive the training, if shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed on HUD units, all work crews of Contractor who have never provided basic weatherization services pursuant to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detaile |              |   | 6) Within 120 days of the execution of this           |
| Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance Training.  EX.F.11.D Training Requirements  EX.F.11.E Training Requirements  Agreement, weatherization employees of Contractor and subcontractors who perform inspections and/or field Supervision shall receive Quality Assurance Training.  EX.F.11.D Training Requirements  EX.F.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. Training  For weatherization and ECIP EHCS services  Guality Assurance Inspections and/or Field Supervision shall receive Quality Assurance Training.  Subcontractors who have never provided basic weatherization services pursuant to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F.  For weatherization and ECIP EHCS services  performed on HUD units, all work crews of  |              | · ·   |   |
| Contractor and subcontractors who perform inspections and/or field supervision shall receive Quality Assurance Training.  EX.F.11.D Training Requirements Requirements  EX.F.11.E Training Requirements  Training Requirements  EX.F.11.E Training Requirements  Training Requirements  EX.F.11.E Training Requirements  Training Requirements  Training Requirements  EX.F.11.E Training Required to have all staff complete the entire required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. For weatherization services pursuant to a CSD program are required t |              | 6) Within 120 days of the execution of this         | Contractor and subcontractors who perform             |
| inspections and/or field supervision shall receive Quality Assurance/Inspector Training.  Ex.F.11.D Training Requirements Requirements  Ex.F.11.E Training Requirements  In a lifeld employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. It shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. Training  In a line description services pursuant to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of Contractor and Subcontractor and Subcontractor and Subcontractor and Subcontractors are required to have all staff complete the entire required to have all staff co |              |   |   |
| Ex.F.11.D Training Requirements Required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit production work. Requirements Requi |              |   | Supervision shall receive Quality Assurance           |
| Ex.F.11.D Training Requirements Required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit production work. Requirements Required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit production work. Requirement |              |   | Training.   |
| Training Requirements    Weatherization services pursuant to a CSD program are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.    Ex.F.11.E Training Requirements   |              | ,             |   |
| Requirements are required to have all staff complete the entire required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  EX.F.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. Training  Training |              |   |   |
| required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  EX.F.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. Training  required course of training, relative to their job classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of Contractor and  | _            |   |   |
| classification, as detailed in EXHIBIT F, ATTACHMENT III prior to commencing unit production work.  EX.F.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. Training  Classification, as detailed in EXHIBIT F, ATTACHMENT IV, prior to commencing unit production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  EX.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of  Classification, as detailed in EXHIBIT F, ATTACHMENT IV, Prior to commencing unit production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  Trai | Requirements |   |   |
| ATTACHMENT III prior to commencing unit production work.  Ex.F.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  ATTACHMENT IV, prior to commencing unit production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of Contractor and   |              |   |   |
| production work.  Ex.F.11.E Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. Training  production work.  Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of  For weatherization services performed on HUD units, all work crews of Contractor and   |              |   | l   |
| Ex.F.11.E Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. Training Provisions for Staff of Subcontractors Who Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of Contractor and   |              | ,   | • •   |
| Training Requirements  All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F.  For weatherization and ECIP EHCS services  Provide Specialty Services  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F.  For weatherization services performed on HUD units, all work crews of  | Ex.F.11.E    | Training Provisions for Staff of Subcontractors Who |   |
| All field employees of subcontractors who perform the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F.  For weatherization and ECIP EHCS services performed on HUD units, all work crews of  All field employees of subcontractors who perform the HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  For weatherization services performed on HUD units, all work crews of Contractor and  | Training     |   |   |
| the of HVAC work for a Contractor are strongly encourage to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F.  For weatherization and ECIP EHCS services performed on HUD units, all work crews of  the HVAC work for a Contractor are strongly encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  For weatherization services performed on HUD units, all work crews of Contractor and  | Requirements |   |   |
| encourage to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F.  For weatherization and ECIP EHCS services performed on HUD units, all work crews of  encouraged to receive the required CSD-approved training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  For weatherization services performed on HUD units, all work crews of Contractor and   |              |   |   |
| training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F.  For weatherization and ECIP EHCS services performed on HUD units, all work crews of training. If the subcontractor does not receive the training. If the subcontractor does not receive the training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  For weatherization services performed on HUD units, all work crews of Contractor and   |              |   | ,   |
| training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of  training, it shall be the responsibility of the Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  For weatherization services performed on HUD units, all work crews of Contractor and   |              |   |   |
| Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of  Contractor to perform all pre- and post-combustion appliance safety diagnostic testing for all HVAC services performed by subcontractors.  For weatherization services performed on HUD units, all work crews of Contractor and   |              |   |   |
| appliance safety diagnostic testing for all HVAC services performed by subcontractors.  Ex.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of appliance safety diagnostic testing for all HVAC services performed by subcontractors.  For weatherization services performed on HUD units, all work crews of contractor and  |              |   |   |
| services performed by subcontractors.  Ex.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of units, all work crews of Contractor and  |              |   |   |
| Ex.F.11.F. For weatherization and ECIP EHCS services performed on HUD units, all work crews of units, all work crews of Contractor and   |              |   |   |
| Training performed on HUD units, all work crews of units, all work crews of Contractor and   | Ex.F.11.F.   |   |   |
|  |              |   |   |
| Requirements   Contractor and subcontractor who perform basic   subcontractors who perform basic weatherization or   | Requirements | Contractor and subcontractor who perform basic      | subcontractors who perform basic weatherization or    |
|  |              |   | specialty services are required to be trained in HUD- |
| be trained in HUD-approved Lead-Safe approved Lead-Safe Weatherization, although   |              |   |   |
| Weatherization, although certification is not certification is not required. No employee of  |              |   |   |
| required. No employee of Contractor and Contractor and subcontractors shall perform work in  |              | required. No employee of Contractor and             | Contractor and subcontractors shall perform work in   |

2011 LIHEAP No. 001 Page 12 of 14

| Section                                | Current Language  | New Language  |
|--|---|---|
|  | subcontractors shall perform work in a pre-1978 HUD dwelling until the required training has been received. Although a crew supervisor can be certified as a HUD Lead Supervisor, it is not a substitute for the requirement of trained work crews.   | a pre-1978 HUD dwelling until the required training has been received. Although a crew supervisor can be certified as a HUD Lead <b>Abatement</b> Supervisor <b>or Worker</b> , it is not a substitute for the requirement of trained work crews.   |
| Ex. F.11.G<br>Training<br>Requirements | New   | EPA Lead Renovator training is required per the EPA for all Contractors and subcontractors performing work on pre-1978 homes, where the work could potentially disturb lead-based paint.  For weatherization services performed on pre-1978 units, all work crews of Contractor and subcontractors who provide basic weatherization or specialty services are required to be trained in EPA-approved Lead Renovator practices, and firm certification is required. No employee of Contractor and/or subcontractors shall perform such work on a pre-1978 dwelling until the required training has been received.                                      |
| Ex.F.11.H.<br>Training<br>Requirements | Contractor shall maintain and make available for reference to Contractor's employees and subcontractors who perform weatherization and ECIP EHCS services the following:  1) Current CSD Conventional Home WIS Manual; 2) Current CSD Mobile Home WIS Manual; 3) CSD Low-Income Weatherization Assistance Program Policies and Procedures Manual; 4) Other applicable policies and procedures; and 5) Official Program Notices. | Contractor shall maintain and make available for reference to Contractor's employees and subcontractors who perform weatherization and ECIP EHCS services the following:  1) Current CSD Weatherization Installation Standards Manual; 2) CSD Low-Income Weatherization Assistance Program Policies and Procedures Manual; 3) Other applicable policies and procedures; and 4) Official Program Notices.  |
| Ex.F.14.<br>Lead Safe<br>Certification | New   | LEAD SAFETY CERTIFICATION  For renovation, repair, or painting, employees of Contractor and subcontractors performing work on or after April 22, 2010 (or other date specified by the U.S. Environmental Protection Agency or the State in which the activity is conducted) shall be certified for the activities according to 40 CFR Part 745 (possessing certification valid for the State in which the activity is conducted), and that uncertified workers on such activities shall be trained in a HUD-approved course in lead safe work practices and supervised by a person who is a certified abatement contractor and a certified renovator. |
| Ex. G<br>Definitions                   | New   | Energy Council: EC members represent their respective agencies or associations of California energy service providers who weatherize the homes of California's low-income households and assist them with payment of their utility bills. EC members share ideas with CSD on the effective delivery of LIHEAP for low-  |

2011 LIHEAP No. 001 Page 13 of 14

| Section       | Current Language                                      | New Language  |
|---------------|---|---|
|               |   | income persons.                                       |
| Ex. B.        | New line item   | SHPO Reviews—for the aggregation, collection          |
| Attachment I  |   | and reporting of dwelling characteristic              |
| LIHEAP        |   | information and proposed scope of                     |
| Weatherizatio |   | weatherization measures/services to be                |
| n Budget      |   | performed.  |
| Ex. B,        | New Measure   | Smoke Alarms—maximum expenditure of ???               |
| Attachment IV | Cooking Appliance Repair                              | Maximum expenditure increase to \$467 or 50% of       |
| Reimburseme   |   | replacement cost                                      |
| nt Rates for  | Cooking Appliance Replacement                         | Maximum expenditure increase to \$934                 |
| Weatherizatio | Cooling Repair – Evaporative Cooler                   | Maximum expenditure increase to \$623 or 50% of       |
| n and EHCS    |   | replacement cost                                      |
| Activities    | Cooling Replacement – Evaporative Cooler              | Maximum expenditure increase to \$1246                |
|               | Water Heater Repair                                   | Maximum expenditure increase to \$735 or 50% of       |
|               |   | replacement cost                                      |
|               | Water Heater Replacement                              | Maximum expenditure increase to \$1470                |
|               | Ceiling Fan   | Maximum reimbursement increase to \$250               |
| Footnote      | When using a blower door in conjunction with          | When using a blower door in conjunction with          |
| Section, #16  | weatherizing a dwelling, do not apply these           | weatherizing a dwelling, do not apply these           |
|               | measures if the infiltration is less than the Minimum | measures if the infiltration is less than the Minimum |
|               | Ventilation Requirement or if the economic stop       | Ventilation Requirement or if the economic stop       |
|               | point for air sealing has been reached. Does not      | point for air sealing has been reached. No            |
|               | apply to catastrophic leaks that are health and       | infiltration measure may be installed if blower       |
|               | safety hazards, e.g., broken-out window, severely     | door diagnostics are not performed. Does not          |
|               | damaged door, etc.                                    | apply to catastrophic leaks that are health and       |
|               |   | safety hazards, e.g., broken-out window, severely     |
|               |   | damaged door, etc.                                    |
| Ex. F,        | New attachment  | Training Requirements Matrix                          |
| Attachment IV |   |   |

2011 LIHEAP No. 001 Page 14 of 14